

			
AUDI			
AUDI A4 (8W2, B9)			
B4	1.4 TFSI, 2.0 TFSI, 2.0 TFSI quattro, S4 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI, 3.0 TDI quattro 05/15 – 90 – 260 kW	19-262352 	19-273501  with sports suspension; Twin-Tube FA: serie production spring seat must be used
B16 PSS10	1.4 TFSI, 2.0 TFSI, 2.0 TFSI quattro, S4 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI, 3.0 TDI quattro 05/15 – 90 – 260 kW	48-262316 Conditions see certificates; without electronic suspension control; Threaded Suspension (height adjustable); Built-in adjustable; Lowering ca. [mm]: 35-50 mm FA: Axle load [kg] to 1075 kg RA: Axle load [kg] to 1175 kg	
AUDI A4 Avant (8W5, B9)			
B16 PSS10	1.4 TFSI, 2.0 TFSI, 2.0 TFSI quattro, S4 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI, 3.0 TDI quattro 08/15 – 90 – 260 kW	48-262316 Threaded Suspension (height adjustable); Lowering ca. [mm]: 35-50 mm FA: Axle load [kg] to 1075 kg RA: Axle load [kg] to 1175 kg	
AUDI A4 Allroad (8WH, B9)			
B4	2.0 TFSI quattro, 2.0 TDI quattro, 3.0 TDI quattro 01/16 – 120 – 200 kW	19-262352 	19-273501  with sports suspension; Twin-Tube FA: serie production spring seat must be used
B16 PSS10	2.0 TFSI quattro, 2.0 TDI quattro, 3.0 TDI quattro 01/16 – 120 – 200 kW	48-262316 Conditions see certificates; without electronic suspension control; Threaded Suspension (height adjustable); Built-in adjustable	
AUDI A5 (F53)			
B4	2.0 TFSI, 2.0 TFSI quattro, S5 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI, 3.0 TDI quattro 06/16 – 140 – 260 kW	19-262352 	19-273501  with sports suspension; Twin-Tube FA: serie production spring seat must be used
B16 PSS10	2.0 TFSI, 2.0 TFSI quattro, S5 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI, 3.0 TDI quattro 06/16 – 140 – 260 kW	48-262316 Conditions see certificates; without electronic suspension control; Threaded Suspension (height adjustable); Built-in adjustable	
AUDI A5 Sportback (F5A)			
B4	2.0 TFSI quattro, 2.0 TFSI, S5 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI quattro 09/16 – 140 – 260 kW	19-262352 	19-273501  with sports suspension; Twin-Tube FA: serie production spring seat must be used
B16 PSS10	2.0 TFSI quattro, 2.0 TFSI, S5 quattro, 2.0 TDI, 2.0 TDI quattro, 3.0 TDI quattro 09/16 – 140 – 260 kW	48-262316 Conditions see certificates; without electronic suspension control; Threaded Suspension (height adjustable); Built-in adjustable	
AUDI A5 Convertible (F57)			
B4	2.0 TFSI quattro, S5 quattro, 2.0 TDI, 3.0 TDI quattro 11/16 – 140 – 260 kW	19-262352 	19-273501  with sports suspension; Twin-Tube FA: serie production spring seat must be used
B16 PSS10	2.0 TFSI quattro, S5 quattro, 2.0 TDI, 3.0 TDI quattro 11/16 – 140 – 260 kW	48-262316 Conditions see certificates; without electronic suspension control; Threaded Suspension (height adjustable); Built-in adjustable	
FIAT			
FIAT TIPO Saloon (356_)			
B6 Sport	1.4, 1.6, 1.3 D, 1.6 D 10/15 – 70 – 88 kW	22-264992  22-265005 	24-265010
B8	1.4, 1.6, 1.3 D, 1.6 D 10/15 – 70 – 88 kW	22-269157  22-269188 	24-269162
FIAT TIPO Hatchback (356_)			
B6 Sport	1.4, 1.6, 1.3 D, 1.6 D 03/16 – 70 – 88 kW	22-264992  22-265005 	24-265010
B8	1.4, 1.6, 1.3 D, 1.6 D 03/16 – 70 – 88 kW	22-269157  22-269188 	24-269162
FIAT TIPO Estate (356_)			
B6 Sport	1.4, 1.6, 1.3 D, 1.6 D 03/16 – 70 – 88 kW	22-264992  22-265005 	24-265010
B8	1.4, 1.6, 1.3 D, 1.6 D 03/16 – 70 – 88 kW	22-269157  22-269188	24-269162

			
--	---	--	---

HYUNDAI

HYUNDAI i20 (GB)

B4	1.0 T-GDI, 1.2, 1.4, 1.1 CRDi, 1.4 CRDi 11/14 – 55 – 88 kW		19-261355	
----	---	--	-----------	--

HYUNDAI i20 Coupe (GB)

B4	1.0 T-GDI, 1.2, 1.4, 1.1 CRDi, 1.4 CRDi 05/15 – 55 – 88 kW		19-261355	
----	---	--	-----------	--

HYUNDAI i30 (FD)

B3	1.4 10/07 – 11/11 77 – 80 kW	36-268023	36-256648	with standard chassis; from CH-No.: KMH→ FA: 08/10→; Equipment Variant GL RA: Coil spring with constant wire diameter
B3	1.4 10/07 – 11/11 77 – 80 kW	36-268009	36-256648	with standard chassis; from CH-No.: KMH→ FA: 08/10→; Equipment Variant GLS RA: Coil spring with constant wire diameter
B3	1.6 10/07 – 11/11 85 kW	36-268023	36-256648	FA: 08/10→; Manual Transmission; Equipment Variant GL; with standard chassis; from CH-No.: KMH→ RA: Coil spring with constant wire diameter
B3	1.6 10/07 – 11/11 85 kW	36-268009	36-256648	FA: 08/10→; Equipment Variant GL, GLS; with standard chassis; from CH-No.: KMH→ RA: Coil spring with constant wire diameter
B3	1.6 10/07 – 11/11 90 kW	36-268009		with standard chassis; 08/10→; Fully Automatic; Equipment Variant GL; from CH-No.: KMH→
B3	1.6 10/07 – 11/11 90 kW	36-268009		with standard chassis; 08/10→; Equipment Variant GLS; from CH-No.: KMH→
B3	1.6 10/07 – 11/11 90 kW	36-268023		with standard chassis; 08/10→; Manual Transmission; Equipment Variant GL; from CH-No.: KMH→
B3	1.6 02/08 – 11/11 93 kW	36-268023	36-256648	with standard chassis; from CH-No.: KMH→ FA: 08/10→; Manual Transmission; Equipment Variant GL RA: Coil spring with constant wire diameter
B3	1.6 02/08 – 11/11 93 kW	36-268009	36-256648	with standard chassis; from CH-No.: KMH→ FA: 08/10→; Equipment Variant GL, GLS RA: Coil spring with constant wire diameter
B3	2.0, 1.6 CRDi 10/07 – 11/11 66 – 105 kW	36-268016	36-256648	with standard chassis; from CH-No.: KMH→ FA: 08/10→ RA: Coil spring with constant wire diameter

HYUNDAI i30 CW (FD)

B3	1.6 02/08 – 06/12 85 – 93 kW	36-268023	36-256686	with standard chassis; from CH-No.: KMH→ FA: 08/10→; Manual Transmission; Equipment Variant GL RA: Coil spring with constant wire diameter
B3	1.6 02/08 – 06/12 85 – 93 kW	36-268009	36-256686	with standard chassis; from CH-No.: KMH→ FA: 08/10→; Fully Automatic; Equipment Variant GL RA: Coil spring with constant wire diameter
B3	1.6 02/08 – 06/12 85 – 93 kW	36-268009	36-256686	with standard chassis; from CH-No.: KMH→ FA: Equipment Variant GLS RA: Coil spring with constant wire diameter
B3	1.6 CRDi 02/08 – 06/12 66 – 94 kW	36-268016	36-256686	with standard chassis; from CH-No.: KMH→ FA: 03/11→ RA: Coil spring with constant wire diameter

OPEL

OPEL CORSA E

B3	1.0 09/14 – 66 – 85 kW	37-262815	36-252930	with sports suspension FA: Manual Transmission; without air conditioning RA: Coil spring with constant wire diameter
B3	1.0 09/14 – 66 – 85 kW	37-262822	36-252930	with sports suspension FA: with A/C; Manual Transmission RA: Coil spring with constant wire diameter
B3	1.0 09/14 – 66 – 85 kW	37-262822	36-252930	with off-road suspension FA: Manual Transmission RA: Coil spring with constant wire diameter
B3	1.2, 1.4 09/14 – 51 – 66 kW	37-262815	36-252930	with off-road suspension FA: Manual Transmission; with A/C RA: Coil spring with constant wire diameter
B3	1.4 09/14 – 55 – 66 kW	37-262815	36-252930	FA: Manual Transmission; with A/C RA: Coil spring with constant wire diameter
B3	1.4 Turbo, 1.3 CDTI 09/14 – 55 – 110 kW	37-262822	36-252930	with sports suspension FA: Manual Transmission RA: Coil spring with constant wire diameter
B3	1.4 Turbo, 1.3 CDTI 09/14 – 55 – 110 kW	37-262846	36-218813	with standard chassis; Manual Transmission FA: with A/C

					
RENAULT					
RENAULT ESPACE V (JR_)					
B6 Sport	1.6 TCe 200 02/15 – 147 kW	22-266354 		24-266369 	
RENAULT MEGANE IV (B9A/M_)					
B6 Sport	1.2 TCe 100, 1.2 TCe 130, 1.6 16V, 1.6 TCe 205, 1.5 dCi 90, 1.5 dCi 110, 1.6 dCi 130, 1.6 dCi 165 11/15 – 66 – 151 kW	22-266354 		24-266369 	
RENAULT MEGANE IV Grandtour (K9A/M_)					
B6 Sport	1.2 TCe 100, 1.2 TCe 130, 1.6 TCe 205, 1.5 dCi 90, 1.5 dCi 110, 1.6 dCi 130, 1.6 dCi 165 04/16 – 66 – 151 kW	22-266354 		24-266369 	with standard chassis
RENAULT SCÉNIC IV (J9_)					
B6 Sport	1.2 TCe 115, 1.2 TCe 130, 1.5 dCi 95, 1.5 dCi 110, 1.6 dCi 160 09/16 – 70 – 118 kW			24-266369 	
B6 Sport	1.2 TCe 115 09/16 – 85 kW	22-266354 		24-266369 	
RENAULT GRAND SCÉNIC IV (R9_)					
B6 Sport	1.2 TCe 115, 1.2 TCe 130, 1.5 dCi 110, 1.6 dCi 130, 1.6 dCi 160 09/16 – 81 – 118 kW			24-266369 	
B6 Sport	1.2 TCe 115 09/16 – 85 kW	22-266354 		24-266369 	
SUBARU					
SUBARU LEVORG					
B6 Sport	1.6 AWD, 2.0 AWD 03/15 – 125 – 221 kW	35-249467  35-249474 	 	24-249485 	
TOYOTA					
TOYOTA YARIS (_P1_)					
B4	1.0, 1.3 04/99 – 09/05 50 – 64 kW	22-052704  11-270881 	 	11-270423  19-068565 	→05/02
B4	1.3, 1.4 D-4D 11/99 – 10/05 55 – 63 kW	11-270881  22-052704 	 	19-068565  11-270423 	→05/02
TOYOTA YARIS VERSO (_P2_)					
B4	1.3, 1.5 08/99 – 09/05 62 – 78 kW	11-270881 		11-270423 	Disc Brake

**R
T**