







Globally reliable

NEWSLETTER B3/2



	ccm						Pos.
N13 B16 A	1598	4	1'(F20) 114 i, 1'(F20) 116 i, 1'(F20) 118 i, 1'(F20) 120 i, 1'(F21) 114 i, 1'(F21) 116 i, 1'(F21) 118 i, 1'(F21) 120 i, 3'(F30, F80) 316 i, 3'(F30, F80) 320 i ed, 3'(F31) 316 i,	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N16 B16 A	1598	4	MINI PACEMAN (R61) Cooper, MINI PACEMAN (R61) Cooper ALL4, MINI Coupe (R58) Cooper, MINI Roadster (R59) Cooper, MINI Cabriolet (R57) One, MINI Cabriolet (R57) Cooper, MINI CLUBMAN (R55) Cooper, MINI (R56) One	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N18 B16 A	1598	4	MINI PACEMAN (R61) Cooper S ALL4, MINI PACEMAN (R61) Cooper S, MINI PACEMAN (R61) Cooper ALL4, MINI Coupe (R58) Cooper S, MINI Coupe (R58) Cooper S JCW, MINI Roadster (R59) Cooper S, MINI Roadster (R59) Cooper S JCW, MINI Cabriolet (R57) Cooper S, MINI CLUBMAN (R55) Cooper S, MINI (R56) Cooper S	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N18 B16 C	1598	4	MINI PACEMAN (R61) JCW, MINI Roadster (R59) JCW, MINI CLUBMAN (R55) JCW, MINI (R56) JCW GP	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N14 B16 C	1598	4	MINI Coupe (R58) JCW, MINI Roadster (R59) JCW, MINI Cabriolet (R57) JCW, MINI CLUBMAN (R55) JCW, MINI (R56) JCW	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N14 B16 A	1598	4	MINI Coupe (R58) Cooper S, MINI Cabriolet (R57) Cooper S, MINI CLUBMAN (R55) Cooper S, MINI (R56) Cooper S	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N12 B16 A	1598	4	MINI Cabriolet (R57) Cooper, MINI (R56) Cooper	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
N43 B16 A	1599	4	3'(E92) 316 i, 1'(E81) 116 i, 3'(E90) 316 i, 3'(E90) 320 i, 3'(E91) 316 i	82,00	60 0706 0000 61 0754 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
N45 B16 A	1596	4	1'(E81) 116 i, 1'(E87) 116 i, 3' (E46) 316 ti, 3'(E90) 316 i,	84,00	60 0706 0000 61 0754 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
N40 B16 A	1596	4	3'(E46) 316 ti	84,00	60 0706 0000 61 0754 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
N54 B30 A, N55 B30 A	2979	6	1'(E88) 135 i	84,00	60 0711 0000 61 0757 0000	Std Std	3
N42 B20 A	1995	4	3'(E46) 318 Ci, 3' (E46) 316 ti,	84,00	60 0706 0000 61 0754 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
N47 D20 C, N47 D20 D	1995	4	2'(F22, F87) 218 d, 2'(F22, F87) 220 d, 2'(F22, F87) 225 d	84,00	60 0710 0000 61 0756 0000	Std Std	4
N57 D30 A	2993	6	3'(E92) 325 d, 3'(E92) 330 d, 3'(E92) 330 xd, 3'(E92) 330 d xDrive	84,00	60 0710 0000 61 0756 0000	Std Std	4
N47 D20 B, N47 D20 D	1995	4	1'(E82) 123 d, 1'(E88) 123 d, 1'(E81) 123 d, 1'(E87) 123 d	84,00	60 0710 0000 61 0756 0000	Std Std	4
N47 D20 A	195	4	1'(E81) 116 d, 1'(E81) 118 d, 1'(E81) 120 d	84,00	60 0710 0000 61 0756 0000	Std Std	4

	ccm						Pos.
N46 B20 A, N46 B20 B	1995	4	Z4'(E85) 2.0 i, X3'(E83) 2.0 i, X3'(E83) xDrive 20 i, X1'(E84) sDrive 18 i, 3'(E93) 320 i, 3'(E92) 320 i, 3'(E91) 320 i, 3'(E91) 318 i, 1'(E88) 118 i, 1'(E88) 120 i, 1'(E82) 120 i, 1'(E81) 118 i, 1'(E81) 120 i, 1'(E87) 120 i, 1'(E87) 118 i, 3'E46) 318 Ci, 3' (E46) 318 ti, 3'(E91) 318 i, 3'(E91) 320 i	84,00	60 0706 0000 61 0754 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
N43 B20 A	1995	4	5'(E61) 520 i, 5'(E60) 520 i, 3'(E93) 318 i, 3'(E93) 320 i, 3'(E92) 318 i, 3'(E92) 320 i, 1'(E88) 118 i, 1'(E88) 120 i, 1'(E82) 120 i, 1'(E81) 116 i, 1'(E81) 118 i, 1'(E81) 120 i, 1'(E87) 116 i, 1'(E87) 118 i, 1'(E87) 120 i, 3'(E90) 320 i, 3'(E91) 318 i, 3'(E91) 320 i	84,00	60 0706 0000 61 0754 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
N20 B20 A, N26 B20 A	1997	4	3'GT(F34) 328 i, 3'GT(F34) 328 i xDrive	84,00	60 0711 0000 61 0757 0000	Std Std	3


      						Set Composition / QTY										
1 77,00																
MB/HL 1, 2, 3, 4, 5	5 Pairs	45,024	48,674	17,900	SSI	60 3713 0000 3000 5000 8000	5		5							
CB/PL 1, 2, 3, 4	4 Pairs	45,033	48,019	19,700	S32S	61 3773 0000 3000 5000	4		4							
TW/A 1	2 Halves	50,500 50,750	70,000 70,250		SAL	62 3785 0000	2									
2 82,00																
MB/HL 1, 2, 3	3 Pairs	56,000	61,000	18,800	SAL	60 0706 0000 2500	3		4		1		1		1	
MB/HL 4	1 Pair	56,000	61,000	23,500	SAL	5000										
MB/HL 5	1 Pair	65,000	70,000	19,800	SAL											
CB/PL 1, 2, 3, 4	4 Pairs	49,975 49,991	53,600 53,616	17,550	S3S	61 0754 0000 2500 5000	8									
3 84,00																
MB/HL 1, 2, 3, 4	4 Pairs	49,980 50,001	55,000 55,019	17,300	SSI	60 0711 0000	1		1		4		4			
MB/HL 5	1 Pair	49,980 50,001	55,000 55,019	23,950	SSI											
CB/PL 1, 2, 3, 4	4 Pairs	49,973 49,993	53,600 53,616	17,550	SPVD	61 0757 0000										
4 84,00																
MB/HL 1, 2, 3, 4	4 Pairs	54,971 54,990	60,000 60,019	18,800	SAL	60 0710 0000	1		1		4		4			
MB/HL 5	1 Pair	54,971 54,990	60,000 60,019	24,930	SAL											
CB/PL 1, 2, 3, 4	4 Pairs	49,975 49,991	53,600 53,619	18,300	SPVD	61 0756 0000	4		4							



Globally reliable

CITROËN

	ccm					Pos.
5FK (EP6CB)	1598	4	BERLINGO 1.6 VTi 95	77,00	60 3713 0000 61 3773 0000 62 3785 0000 Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FS (EP6C)	1598	4	BERLINGO 1.6 VTi 120, C3 II 1.6 VTi 120, C3 Picasso 1.6 VTi 120, C4 Picasso II 1.6 VTi 120, C5 III 1.6 VTi 120, DS4 1.6 VTi 120, C4 II 1.6 VTi 120, C4 Grand Picasso II 1.6 VTi 120, DS3 1.6 VTi 120, DS3 Cabriolet 1.6 VTi 120	77,00	60 3713 0000 61 3773 0000 62 3785 0000 Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5GM (EP6FDTX)	1598	4	DS5 1.6 THP 210	77,00	60 3713 0000 61 3773 0000 62 3785 0000 Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FV (EP6CDT)	1598	4	C4 Picasso 1.6 THP 155, C4 Grand Picasso 1.6 THP 155, C4 II 1.6 THP 155, DS3 1.6 THP 155, DS3 Cabriolet 1.6 THP 155, DS4 1.6 THP 155, DS5 1.6 THP 155	77,00	60 3713 0000 61 3773 0000 62 3785 0000 Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5GZ (EP6FDT)	1598	4	C4 Picasso II 1.6 THP 165 C4 Grand Picasso II 1.6 THP 165, DS3 1.6 Turbo, DS3 Cabriolet 1.6 THP 165, DS4 1.6 THP 165, DS5 1.6 THP 165	77,00	60 3713 0000 61 3773 0000 62 3785 0000 Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FN (EP6CDT)	1598	4	C5 III 1.6 THP 150, DS3 1.6 THP 150, DS3 Cabriolet 1.6 THP 150	77,00	60 3713 0000 61 3773 0000 62 3785 0000 Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1


       Set Composition / QTY																
1	77,00															
MB/HL 1, 2, 3, 4, 5	5 Pairs	45,024	48,674	17,900	SSI	60 3713 0000 3000 5000 8000	5		5							
CB/PL 1, 2, 3, 4	4 Pairs	45,033	48,019	19,700	S32S	61 3773 0000 3000 5000	4		4							
TW/A 1	2 Halves	50,500 50,750	70,000 70,250		SAL	62 3785 0000	2									







Globally reliable

DAIMLER-MERCEDES BENZ

	ccm						Pos.
OM 904.941	4249	4	OF Series 8000	102,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 902.914, OM 902.931	6374	6	AXOR 2 1826 K, AK, LS	102,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 906.910	6374	6	ATEGO 823-2223	102,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 904.910, OM 904.916, OM 904.930	4250	4	ATEGO 714-1214 L,K	102,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 902.913, OM 902.930	6374	6	AXOR 2 1823	102,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 900.911, OM 900.917	4249	4	ATEGO 2 712, 713 ATEGO 2 812, 813	102,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 926.910	7201	6	TOURO (O 500) O 500 R	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 926.913	7201	6	AXOR 2 2633 K, AXOR 2 1833 A	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 926.917	7201	6	AXOR 2 1833 AK	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 926.919	7201	6	AXOR 2 2633	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 926.921	7201	6	ECONIC 2633 L, AXOR 2 2533, AXOR 2 1933 S	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 925.920	7201	6	ATEGO 2 929, 929 L, ATEGO 2 926, 926 L, ATEGO 2 924, 924 L, ATEGO 2 829, 829 L, ATEGO 2 826, 826 L, ATEGO 2 824, 824 L, ATEGO 2 1529, 1529 L, ATEGO 2 1526, 1526 L, ATEGO 2 1524, 1524 L, ATEGO 2 1329, 1329 L, ATEGO 2 1326, 1326 L, ATEGO 2 1324, 1324 L, ATEGO 2 1229, 1229 L, ATEGO 2 1226, 1226 L, ATEGO 2 1224, 1224 L, ATEGO 2 1029, 1029 L, ATEGO 2 1026, 1026 L, ATEGO 2 1024, 1024 L	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1
OM 924.916, OM 924.923	4801	4	UNIMOG U 4000, UNIMOG U 5000	106,00	60 1028 0000 61 1076 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	1

							Set Composition / QTY									
1	102,00															
MB/HL 1	1 Pair	85,990 86,010	91,000 91,022	23,300	S3S	60 1028 0000 2500 5000	1		1							
CB/PL 1	1 Pair	69,995 70,015	75,000 75,019	28,300	SPVD	61 1076 0000 2500 5000	1		1							

	ccm						Pos.
146 A7.011	994	4	UNO 1.0	76,00	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
127 A1.000	1049	4	127 1.0 Sport	76,00	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
146 A6.000	1116	4	UNO Box 60 1.1, DUNA 60 1.1	76,00	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
146 A9.000	1116	4	FIORINO 1.1 60	76,00	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
146 A5.000	1301	4	FIORINO Box 70 1.3, ELBA 1.3, DUNA 70 1.3	76,00	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
156 A.000	1049	4	FIORINO 1.0	76,10	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
127 A5.000	1302	4	127 1.3 Diesel, FIORINO 1.3 D, 147 1.3 D, ELBA CSL 1.3 D	76,10	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
146 B1.000	1301	4	UNO 1.3 Super Diesel	76,10	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1
156 A5.000	1302	4	PANDA 1300 D	76,10	60 2034 0000 61 2049 0000	Std. .010, .020 Std. .010, .020	1





       Set Composition / QTY																
1	76,00															
MB/HL 1, 2, 3, 4	4 Pairs	48,189 48,209	51,921 51,934	17,700	SAL	60 2034 0000 1000 2000	8		2							
MB/HL 5	1 Pair	48,189 48,209	51,921 51,934	25,500	SAL											
CB/PL 1, 2, 3, 4	4 Pairs	43,988 44,008	47,130 47,142	18,500	SAL	61 2049 0000 1000 2000	8									







Globally reliable

HYUNDAI

	ccm						Pos.
G4LA	1248	4	i10 1.2, i20 1.2, GRAND i10 1.2	71,00	60 2414 0000 61 2459 0000 62 2483 0000	Std, 0,25, 0,50, 0,75 Std, 0,25, 0,50, 0,75 Std	1
D4EA, D4EA-F, D4EA-V	1991	4	TUCSON 2.0 CRDi, TRAJET 2.0 CRDi, SANTA FÉ I + II 2.0 CRDi, ELANTRA 2.0 CRDi, SONATA IV + V 2.0 CRDi, i30 2.0 CRDi	83,00	60 2405 0000 61 2455 0000	Std, 0,25, 0,50 Std, 0,25, 0,50	2
D4HA	1995	4	ix35 2.0 CRDi, TUCSON 2.0 CRDi, SANTA FÉ II + III 2.0 CRDi	84,00	60 2413 0000 61 2458 0000 62 2482 0000	Std, 0,25, 0,50, 0,75 Std, 0,25, 0,50, 0,75 Std	3
D4HB	2199	4	GRAND SANTA FÉ 2.2 CRDi, SANTA FÉ II + III 2.2 CRDi	85,40	60 2413 0000 61 2458 0000 62 2482 0000	Std, 0,25, 0,50, 0,75 Std, 0,25, 0,50, 0,75 Std	3
G6BA	2656	6	GRANDEUR 2.7, SANTA FÉ 2.7, TUCSON 2.7	86,70	60 2418 0000 61 2463 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	4
D4CB	2497	4	Starex, Terracon, Libero, Porter II, Kia Sorento 2.5 CRDi	91,00	60 2406 0000 61 2456 0000 62 2485 0000	Std, 0,25, 0,50 Std, 0,25, 0,50 Std	5
G6DG	2999	6	AZERA 3.0	92,00	60 2420 0000 61 2465 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	6
G6DF	3342	6	GRAND SANTA FÉ 3.3	92,00	60 2420 0000 61 2465 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	6
G6DC	3470	6	SANTA FÉ II 3.5	92,00	60 2420 0000 61 2465 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	6
G6DA	3778	6	ix55 3.8 V6	96,00	60 2420 0000 61 2465 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	6
G6DA	3778	6	EQUUS / CENTENNIAL 3.8	96,00	60 2420 0000 61 2465 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	6
G6DA	3778	6	GENESIS Coupe 3.8	96,00	60 2420 0000 61 2465 0000	Std, 0,25, 0,50, 0,75, 1,00 Std, 0,25, 0,50, 0,75, 1,00	6

      										Set Composition / QTY									
1 71,00																			
MB/HL 1, 2, 3, 4, 5	5 Pairs	43,000	47,000	15,100	SAL	60 2414 0000 2500 5000 7500	5		5										
CB/PL 1, 2, 3, 4	4 Pairs	39,000	42,000	14,000	SAL	61 2459 0000 2500 5000 7500	8												
TW/A 1	2 Halves	48,000	61,750		SAL	62 2483 0000	2												
2 83,00																			
MB/HL 1, 2, 3, 4	4 Pairs	60,000	64,000	21,500	SAL	60 2405 0000 2500 5000	4		4		1		1						
MB/HL 5	1 Pair	60,000	64,000	27,250	SAL	5000													
CB/PL 1, 2, 3, 4	4 Pairs	50,000	53,000	22,000	S3S	61 2455 0000 2500 5000	8												
3 85,40																			
MB/HL 1, 2, 3, 4, 5	5 Pairs	60,000	64,000	18,900	S3S	60 2413 0000 2500 5000 7500	5		5										
CB/PL 1, 2, 3, 4	4 Pairs	48,000	51,000	20,900	S3S	61 2458 0000 2500 5000 7500	4		4										
TW/A 1	2 Halves	66,100	88,100		SAL	62 2482 0000	2												
4 86,70																			
MB/HL 1, 2, 3, 4	4 Pairs	62,000	66,000	17,000	SAL	60 2418 0000 2500 5000 7500 1000	4		4										
CB/PL 1, 2, 3, 4, 5, 6	6 Pairs	48,000	51,000	15,000	SAL	61 2463 0000 2500 5000 7500 1000	12												
5 91,00																			
MB/HL 1, 2, 3, 4, 5	5 Pairs	67,000	71,000	24,000	SAL	60 2406 0000 2500 5000	5		5										
CB/PL 1, 2, 3, 4	4 Pairs	57,000	60,000	27,000	S3S	61 2456 0000 2500 5000	8												
TW/A 1	4 Halves	73,000 73,250	89,500 89,750		SAL	62 2485 0000	4												
6 92,00																			
MB/HL 1, 2, 3, 4	4 Pairs	69,000	73,500	18,000	S3S	60 2420 0000 2500 5000 7500 1000	4		4										
CB/PL 1, 2, 3, 4, 5, 6	6 Pairs	55,000	58,000	16,000	S3S	61 2465 0000 2500 5000 7500 1000	6		6										

	ccm					Pos.
D4EA, D4EA-F	1991	4	SPORTAGE 2.0 CRDi, MAGENTIS 2.0 CRDi, CERATO 2.0 CRDi, CARENS III 2.0 CRDi, CEE'D 2.0 CRDi, PRO CEE'D 2.0 CRDi	83,00	60 2405 0000 Std, 0,25, 0,50 61 2455 0000 Std, 0,25, 0,50	1
D4HA	1995	4	SPORTAGE 2.0 CRDi, SORENTO II 2.0 CRDi	84,00	60 2413 0000 Std, 0,25, 0,50, 0,75 61 2458 0000 Std, 0,25, 0,50, 0,75 62 2482 0000 Std	2
D4HB	2199	4	SORENTO II + III 2.2 CRDi	85,40	60 2413 0000 Std, 0,25, 0,50, 0,75 61 2458 0000 Std, 0,25, 0,50, 0,75 62 2482 0000 Std	2
G6BA	2656	6	OPTIMA / MAGENTIS 2.7, SPORTAGE 2.7	86,70	60 2418 0000 Std, 0,25, 0,50, 0,75, 1,00 61 2463 0000 Std, 0,25, 0,50, 0,75, 1,00	3





							Set Composition / QTY									
1		83,00														
MB/HL 1, 2, 3, 4	4 Pairs	60,000	64,000	21,500	SAL	60 2405 0000 2500 5000	4		4		1		1			
MB/HL 5	1 Pair	60,000	64,000	27,250	SAL	5000										
CB/PL 1, 2, 3, 4	4 Pairs	50,000	53,000	22,000	S3S	61 2455 0000 2500 5000	8									
2		84,00														
MB/HL 1, 2, 3, 4, 5	5 Pairs	60,000	64,000	18,900	S3S	60 2413 0000 2500 5000 7500	5		5							
CB/PL 1, 2, 3, 4	4 Pairs	48,000	51,000	20,900	S3S	61 2458 0000 2500 5000 7500	4		4							
TW/A 1	2 Halves	66,100	88,100		SAL	62 2482 0000	2									
3		86,70														
MB/HL 1, 2, 3, 4	4 Pairs	62,000	66,000	17,000	SAL	60 2418 0000 2500 5000 7500 1000	4		4							
CB/PL 1, 2, 3, 4, 5, 6	6 Pairs	48,000	51,000	15,000	SAL	61 2463 0000 2500 5000 7500 1000	12									



Globally reliable

PEUGEOT

	ccm						Pos.
5FS (EP6C) From Orga No. 1323488	1598	4	2008 1.6 VTi	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FS (EP6C)	1598	4	207 1.6 16V VTi, 207 CC 1.6 16V, 208 1.6, 3008 1.6 VTi,	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
EP6CDTX	1598	4	RCZ 1.6 16V	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
EP6CDT	1598	4	RCZ 1.6 16V, 508 1.6 THP	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FK (EP6CB)	1598	4	PARTNER Tepee 1.6, PARTNER 1.6, RANCH 1.6	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FS (EP6C)	1598	4	PARTNER Tepee 1.6, 508 1.6 VTi	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FH (EP6C)	1598	4	508 1.6 VTi	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FU (EP6CDTX)	1598	4	208 1.6 GTi	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5GZ (EP6FDT)	1598	4	3008 SUV 1.6 THP 165, 3008 1.6 Turbo, 3008 1.6 Griffe Turbo	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1
5FV (EP6CDT)	1598	4	3008 1.6 THP	77,00	60 3713 0000 61 3773 0000 62 3785 0000	Std, 0,30, 0,50, 0,80 Std, 0,30, 0,50 Std	1

						Set Composition / QTY									
1	77,00														
MB/HL 1, 2, 3, 4, 5	5 Pairs	45,024	48,674	17,900	SSI	60 3713 0000 3000 5000 8000	5		5						
CB/PL 1, 2, 3, 4	4 Pairs	45,033	48,019	19,700	S32S	61 3773 0000 3000 5000	4		4						
TW/A 1	2 Halves	50,500 50,750	70,000 70,250		SAL	62 3785 0000	2								